

The Victor logo is displayed in a bold, red, sans-serif font. The letter 'V' is significantly larger than the other letters and features a small silhouette of a mouse's head and ears inside its upper left curve.

Victor® Fast-Kill™ Blocks

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and any unused, spoiled or unconsumed bait as specified on this label.

USE RESTRICTIONS:

This product may only be used to control Norway Rats, Roof Rats and House Mice in the sites indicated below for Urban Areas and Non-Urban Areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. Wear water-proof gloves if you handle bait or dead animals.

Urban areas:

This product may be used in and around (within 15 feet of) homes, and in industrial, commercial, and public buildings. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around (within 15 feet of) related port or terminal buildings. This product may be used in alleys.

Non-urban areas:

This product may only be used inside of homes and agricultural, industrial and commercial buildings.

SELECTION OF TREATMENT AREAS:

Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Use 2 to 8 blocks per placement. Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infected area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

HOUSE MICE: Use 1 block per typical placement. Space placements at intervals of 8 to 12 feet in appropriate locations in infested areas. Up to 2 blocks may be placed at points of extremely high house mouse activity.

Baiting Strategy (Rats and Mice): Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with Bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using water-proof gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage and rodent-proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

PRECAUTIONARY STATEMENTS:

Hazards To Humans and Domestic Animals

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

STORAGE AND DISPOSAL:

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID:

Have label with you when obtaining treatment advice

If swallowed: Call a Poison Control Center, doctor, or 1-800-222-1222 immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control

Center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

NOTE TO PHYSICIAN OR VETERINARIAN: This is not an anticoagulant rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic or corticosteroid.